Must be	Allergy Action Plan accompanied by a Medication Authorizati	on Form (OCC 1	1216)	
CHILD'S NAME: Date of Birth:			Place Child's	
ALLERGY TO:				Picture Here
ls the child Asthma	tic? No Yes (If Yes = Higher Risk fo	or Severe Reactio	n)	
TREATMENT				
				his Medication
But is not exhibiting or complaining of any symptoms			Epinephrine	Antihistamine
	igling, swelling of lips, tongue or mouth ("mout	h faole funny")		
	rash, swelling of the face or extremities	in iceis idinity )		
_	ominal cramps, vomiting, diarrhea		-	
	swallowing ("choking feeling"), hoarseness, ha	alian samul		
	of breath, repetitive coughing, wheezing	icking cougn		
	or breath, repetitive cougning, wheezing ast pulse, low blood pressure, fainting, pale, bl			
Other:	ast pulse, low blood pressure, rainting, pale, bit	ueness		
	noise (number of About the State of Sta			
	ssing (several of the above areas affected)			
MPORTANT: Asthma	atening. The severity of symptoms can quickly nhalers and/or antihistamines cannot be depended on to a	y change, replace epinephrine in	anaphylaxis.	
Medication			Dose:	
Epinephrine:				
Antihistamine: Other:				
Julei.				
Doctor's Signature			Date	
EMERGENCY CAL 1) Call 911 (or Res reaction has been to	LS cue Squad) whenever Epinephrine has been a reated and additional epinephrine may be need	dministered. 2) Ca ded. 3) Stay with ti	all the parent. Sta he child.	ate that an allergic
Doctor's Name:		Pł	none Number:	***************************************
Contact(s)	Name/Relationship	Phone Numi		er(s)
	Transfit Gladoranp	Daytime I		Cell
Parent/Guardian 1				
)				
			1	
Emergency 1				
mergency 1 mergency 2				
	I IF A PARENT/GUARDIAN CANNOT BE REACHED, DO  Health Care Provider and Parent Authorization for the care provider to administer the phove medications as indicated. Sh	or SelfiCarry Self Administratio	1/t	

## Allergy Action Plan (Continued)

Must be accompanied by a Medication Authorization Form (OCC 1216)

Place Child's Picture Here CHILD'S NAME: Date of Birth: ALLERGY TO: Is the child Asthmatic? Yes (If Yes = Higher Risk for Severe Reaction) The Child Care Facility will: Reduce exposure to allergen(s) by: (no sharing food, Ensure proper hand washing procedures are followed. Observe and monitor child for any signs of allergic reaction(s). Ensure that medication is immediately available to administer in case of an allergic reaction (in the classroom, playground, field trips, etc.)  $\square$  Ensure that a person trained in Medication Administration accompanies child on any off-site activity. **FAISEN** The Parent/Guardian will: userguide Complime) Autologica on O1/Olfing Ensure the child care facility has a sufficient supply of emergency medication. Replace medication prior to the expiration Monitor any foods served by the child care ine ulky facility, make substitutions or arrangements with the facility, if needed. Swing and itemly push the orange tip against the outer talgate it folicles FHOLD on talgater approximately 10 seconds to delike the talge Plante in the A4 to the array of the land process in the Hully like professive some soft calend. Call 911 attention and be sure to take the thi Pen Auto-Injector with you to the cinerzency room. To view an instructional video demonstrating how to use an EpiPen Auto-Injector, please visit epipen.com.

SCOOL Des Charron L.P. All Egistements The Control of the Control of State of Control o

Page 2